

## People with Known Exposure to COVID-19 Who Do Not Have Symptoms<sup>1</sup> “Quarantine”

	Under age 2 years or unable to wear a well-fitting mask	Age 2 – 4 years	Age 5 - 11 years		Age 12 years - Adult				All ages
			Up-to-Date Fully Vaccinated	Not yet Fully Vaccinated	Up-to-Date Fully Vaccinated and Boosted	Up-to-Date Fully Vaccinated, not yet eligible for booster	Fully Vaccinated, eligible for booster but not yet boosted	Not yet Fully Vaccinated	Tested positive for COVID-19 within the past 3 months (regardless of vaccination status)
<b>Quarantine, Duration</b>	Yes, 10 days (masks not recommended for children under age 2)	Yes, 5 days	No	Yes, 5 days	No	No	Yes, 5 days	Yes, 5 days	No
<b>Attend/work at school and eligible child care programs, (includes transportation)</b>	N/A	Yes, if undergoing recommended testing.	Yes	Yes, if undergoing recommended testing.	Yes	Yes	Yes, if undergoing recommended testing.	Yes, if undergoing recommended testing.	Yes
<b>Testing</b>	Test on whichever comes first: at least 5 days after last exposure (testing recommended but optional if unable to test) or if <a href="#">Symptoms</a> develop If positive, isolate for at least 5 days from symptom onset or (if no symptoms) date test was collected								No test needed. Test if <a href="#">Symptoms</a> develop.

1. See specific guidance for individuals in congregate settings and for furlough for healthcare workers.

## Isolation for the General Public<sup>2</sup>

“Isolation” is for people who have a positive COVID-19 test or who have symptoms and are waiting for the results of a COVID-19 test.

Isolation is the same for everyone, regardless of whether they are unvaccinated, vaccinated, or boosted.

	Symptoms, Waiting for Test Result	No Symptoms, Positive Test	<u>Symptoms</u> , Positive Test	Hospitalized for COVID-19 or Immunocompromised
<b>Duration of Isolation</b>	<p>Until test result is received or 5 days, whichever is first.</p> <p>If test result is negative, isolation can end.</p> <p>If test result is positive, see “Symptoms, Positive Test” column.</p>	<p>5 days (day 0 is the day the test was collected; isolation ends <u>after</u> day 5).</p> <p>10 days if unable to wear a well-fitting mask</p> <p>If symptoms develop after testing positive, start 5-day count again with day 0 being the day symptoms started.</p>	<p>Minimum of 5 days (day 0 is the day symptoms start; isolation ends <u>after</u> day 5). <u>and</u> when fever-free for 24 hours without fever-reducing medication <u>and</u> symptoms have improved</p> <p>10 days if unable to wear a well-fitting mask</p>	<p>10 - 20 days, consult healthcare provider</p>
<b>Antigen Test Timing at the End of Isolation</b>	N/A	<p>Optional. If testing is done, it should be on at least day 5 of isolation.</p> <p>If positive, isolate through day 10. If negative, isolation can end but continue to wear a mask through day 10.</p>	<p>Optional. If testing is done, it should be on at least day 5 of isolation (when fever free for 24 hours and symptoms have improved).</p> <p>If positive, isolate through day 10. If negative, isolation can end but continue to wear a mask through day 10.</p>	<p>Consult healthcare provider</p>

2. See specific guidance for individuals in congregate settings and for furlough for healthcare workers.